



SUMMER COOLING
CATALOGUE

DESIGNED FOR BETTER LIVING

At Ventair, our commitment to **Health, Ease and Design** means effortless installation, stylish innovation, and smart solutions that make life easier and create healthier spaces.

Because better air means better living.

Sustainable improvements for thriving environments.


- Creating **Healthier** spaces with **fresher air** and quality circulation.
- Introducing features from sleep and low noise modes to **promote personal wellbeing**, to app control adaptations for **accessibility**.
- **Sustainability meets efficiency** – Our products are designed to use less energy while delivering powerful performance.

Ventair makes installation and use effortless.

- Built for **Ease** with **quick and simple installation**, saving electricians valuable time on-site.
- Thoughtfully engineered for **user-friendly operation**.
- Hassle-free **customer support** ensuring peace of mind.

Innovation that looks and performs beautifully.

- By **Design**, our products are **sleek and modern** to complement most builds.
- Smart engineering ensures **optimal airflow and performance**, combining style with function.
- Curated product ranges **suit various architectural styles** while meeting technical demands.



CEILING FAN SELECTION GUIDE

SAVING MONEY AND THE ENVIRONMENT

Ceiling fans create a substantial cooling affect by gently circulating the air at a fraction of the cost of air conditioning.



900mm (36")

Ideal for small bedrooms, home offices, nooks and any application that has limited space.



1200mm (48") to 1250mm (50")

Perfect for small to medium sized rooms such as bedrooms, dining or smaller living areas.



1300mm (52") to 1400mm (56")

Excellent for larger bedrooms and general living areas.




1500mm (60") to 1570mm (62")

Ideal for larger open spaces, living areas and large covered outdoor alfresco areas.

Ceiling Height

Ventair fans are designed to suit ceiling heights of 2.45m – 3.05m. (ie. blade clearance of 2.1m – 2.7m from floor).

A range of extension rods are available for ceiling heights above 3.05m.



Hints:

1. Use the Reversible mode to aid heat circulation in colder months.
2. DC fans have low motor noise which makes them an ideal choice for bedrooms.
3. Running a ceiling fan on low speed generates gentle circulation to keep air feeling fresher.



ENERGY SAVING DC

Skyfan ^{DC}
The future in fans



THE FUTURE IN FANS IS HERE

A beautifully crafted range of fans which use ultra-quiet DC motor technology and aerodynamic blade design, to create exceptional levels of both energy efficiency and performance.

Green Facts

- Amazing running costs of approximately 1 cent per fan per night.
Based on 8 hours usage, ECO speed (5.4w) and electricity cost of \$0.30 per kWh.
- Lower your carbon footprint, and save hundreds by reducing air conditioning usage.



Remote Control included



With light models



Without light models



Intelligent energy saving DC technology



High airflow capacity



Extremely quiet – ideal for bedrooms



Quick fit blade assembly



Indoor and covered outdoor



6 speed LCD multi-function remote



Eco, Sleep and Timer functions



In-built anti-vibration system



Glass fibre composite blades for added strength and durability



Summer / Winter reversible



App Controls available
– See Pages 6-7 (Works with either SKYAPPCM or FLINKPIX)

With Light Models



5-step dimmable



Tri-colour (warm, natural and cool white)



Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	LED	Output	5-Step Dimmable	Tri Colour
SKY903WH	White	900	3 - 32W	12,500	N/A	N/A	N/A	N/A
SKY903WH-L	White	900	3 - 32W	12,500	20W	1800 lm	Yes	Yes
SKY1203WH/BL/LO	White/Black/Light Oak	1200	3.6 - 31W	13,920	N/A	N/A	N/A	N/A
SKY1203WH-L/BL-L/LO-L	White/Black/Light Oak	1200	3.6 - 31W	13,920	20W	1800 lm	Yes	Yes
SKY1303WH/BL/LO/TK	White/Black/Light Oak/Teak	1300	3.9 - 31W	14,610	N/A	N/A	N/A	N/A
SKY1303WH-L/BL-L/LO-L /TK-L	White/Black/Light Oak/Teak	1300	3.9 - 31W	14,610	20W	1800 lm	Yes	Yes
SKY1503WH/BL/LO/TK	White/Black/Light Oak/Teak	1500	3.9 - 43W	19,300	N/A	N/A	N/A	N/A
SKY1503WH-L/BL-L/LO-L	White/Black/Light Oak	1500	3.9 - 43W	19,300	20W	1800 lm	Yes	Yes

All models listed in above table have 3 Glass Fibre Composite Blades and include a remote control.

SKYFAN DC ACCESSORIES



Enhance your home with Skyfan DC.

LCD Wall Control

The LCD wall controls have the same functions as the Skyfan DC remotes.



Skyfan DC LCD Wall Control	For Models
SKYWCM-2	Without Light
SKYWCM	With Light

App Control

Install the USB module, download Tuya's free Android or IOS app and start controlling your Skyfan through your smart phone.

Compatible with Google Home and Alexa voice assistants.



Model	Description
SKYAPPCM	Smart Home App Control Module suits Skyfans via the Tuya app



Extension Rods

Adapt to higher ceilings with a range of extension rods available. Wiring loom included for convenience.



Rod Length	White	Black
130mm	SKYEXTR13WH	N/A
600mm	SKYEXTR60WH	SKYEXTR60BL
900mm	SKYEXTR90WH	SKYEXTR90BL
1200mm	SKYEXTR120WH	SKYEXTR120BL

FleXmech DC Wall Control

DC Fan Wall Control with classic 3 speed mechanism and switch, compatible with most standard switch plates.



Compatible:

**FLEX
MECH**

See page 11

FlexMech Wall Control Model	For Models	Description
DCFAN3SPWC	Without Light	Three speed DC Wall Control with full switch plate
DCFAN3SPCWCL	With Light	Three speed DC Wall Control with full switch plate

INTRODUCING Fanlink




Convert your Skyfan DC into a smart fan with FanLink.

With a few taps, Fanlink turns your Skyfan on, adjusts the speed or switches it off, all from your mobile phone.

Tap to cycle through normal, eco or sleep modes. Work smarter with the timer and schedule functions to suit your lifestyle. Control speeds and switch between Summer and Winter rotation from the palm of your hand.

For Skyfans with LED lights, the PIXIE App adjusts brightness and colour too.

Simply remove the canopy cover to insert the module, then power on the Skyfan to activate pairing mode and begin connecting to the free PIXIE App.



Canopy Drops Down

Rotate Clockwise to release



Model	Description
FLINKPIX	Smart Home App Control Module suits Skyfans via the PIXIE app



Learn more



ENERGY SAVING DC



GLACIER DC



The Glacier DC has been designed for Australian conditions with modern aesthetics in mind to complement any decor. The three blade energy efficient design lends itself to a minimalist and clean aesthetic without compromising on airflow.

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	Blade Material	LED	Output	5-Step Dimmable	Tri Colour
GLA903WH/BL	White/Black	900	2.5 - 23W	9,405	3	GFC*	N/A	N/A	N/A	N/A
GLA903WH-L/BL-L	White/Black	900	2.5 - 23W	9,405	3	GFC*	20W	1800 lm	Yes	Yes
GLA1203WH/BL	White/Black	1200	2.6 - 26W	11,720	3	GFC*	N/A	N/A	N/A	N/A
GLA1203WH-L/BL-L	White/Black	1200	2.6 - 26W	11,720	3	GFC*	20W	1800 lm	Yes	Yes
GLA1303WH/BL	White/Black	1300	3.5 - 26W	12,740	3	GFC*	N/A	N/A	N/A	N/A
GLA1303WH-L/BL-L	White/Black	1300	3.5 - 26W	12,740	3	GFC*	20W	1800 lm	Yes	Yes
GLA1403WH/BL	White/Black	1400	3 - 32W	13,460	3	GFC*	N/A	N/A	N/A	N/A
GLA1403WH-L/BL-L	White/Black	1400	3 - 32W	13,460	3	GFC*	20W	1800 lm	Yes	Yes

*Glass Fibre Composite blades.

GLACIER & ALASKA SHARED FEATURES / ACCESSORIES



Remote Control included

With Light Models



Slimline 5-step dimmable 20W LED (1800 lumen)



Tri-colour (warm, natural and cool white)

With light models



Without light models

ALASKA DC



The Alaska DC is the perfect blend of form and function, enhancing any decor with its sleek, contemporary look.

The four symmetric aerodynamic blades balance quiet operation with smooth airflow.



Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	Blade Material	LED	Output	5-Step Dimmable	Tri Colour
ALA1204WH/BL	White/Black	1200	2.5 - 32W	11,610	4	GFC*	N/A	N/A	N/A	N/A
ALA1204WH/BL-L	White/Black	1200	2.5 - 32W	11,610	4	GFC*	20W	1800 lm	Yes	Yes
ALA1304WH/BL	White/Black	1300	2.5 - 32W	12,212	4	GFC*	N/A	N/A	N/A	N/A
ALA1304WH/BL-L	White/Black	1300	2.5 - 32W	12,212	4	GFC*	20W	1800 lm	Yes	Yes

*Glass Fibre Composite blades.

Extension Rods

Extension rods with wiring loom available for high ceilings.

Rod Length	White	Black
130mm	SKYEXTR13WH	N/A
600mm	SKYEXTR60WH	SKYEXTR60BL
900mm	SKYEXTR90WH	SKYEXTR90BL
1200mm	SKYEXTR120WH	SKYEXTR120BL



Compatible

**FLEX
MECH**

See page 11

ENERGY SAVING DC

DC 3 BLADE CEILING FAN



The DC 3 Blade ceiling fan was created with affordability in mind, combining the energy efficiency of DC technology with the strength and durability of glass fibre composite blade.



Remote Control included



Wall Control
sold separately

DC 3 Blade Wall Control Module	For Models
DC3WCM-2	Without Light
DC3WCM	With Light

Compatible
FLEX MECH
See page 11

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	Blade Material	LED	Output	5-Step Dimmable	Tri Colour	Remote Control Inc.
DC31203WH	White	1200	2.2 - 26W	13,580	3	GFC*	N/A	N/A	N/A	N/A	Yes
DC31203WH-L	White	1200	2.2 - 26W	13,580	3	GFC*	20W	1800 lm	Yes	Yes	Yes

*Glass Fibre Composite blades.


FLEX MECH

DC FAN WALL CONTROL WITH CLASSIC 3 SPEED MECHANISM AND SWITCH, COMPATIBLE WITH MOST STANDARD SWITCH PLATES

- No neutral connection required
- Switch plate comes pre-wired for speedy installation
- With and without light options
- Module can be wired into any 3 speed, AC rotary fan mechanism
- Compact module, designed to fit into a standard wall box

COMPATIBLE WITH:

- SKYFAN DC
- ALASKA DC
- GLACIER DC
- DC3 CEILING FAN



Without Light Model



Light Model

FlexMech Wall Control Module	For Models	Description
DCFAN3SPWC	Without Light	3 Speed DC Fan Wall Control – Full switch plate – no light – Suits Skyfan DC, Glacier DC, Alaska DC & DC3
DCFAN3SPWCL	With Light	3 Speed DC Fan Wall Control – Full switch plate – light models – Suits Skyfan DC, Glacier DC, Alaska DC & DC3



SOVEREIGN^{DC}

6 Blade Ceiling Fan



Power. Presence. Perfection.

Designed for covered outdoor, indoor or commercial conditions, the Sovereign DC fan combines cutting-edge performance with enduring style.

Engineered with a high-efficiency DC motor, delivering large-scale airflow that keeps your environment effortlessly comfortable. Built tough with weather-resistant epoxy coated components and backed by a coastal warranty, Sovereign is made to last, wherever you live.

SOVEREIGN^{DC}



6
BLADES

1500mm

1800mm



Remote Control
included

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count
SOV1506WH/BL	White/Black	1500	10 - 60W	20,086	6
SOV1806WH/BL	White/Black	1800	9 - 75W	24,161	6

• Remote Control Convenience

Six-speed, multi-function remote with speed control, timer, and reverse settings, giving you total comfort control from anywhere in the room.

• Durable Epoxy Coated Components

Six precision balanced blades, built for stability, and superior airflow performance. Epoxy coated for enhanced corrosion resistance, makes the Sovereign ideal for all environments.

Built to Endure

With corrosion-resistant coating and tough construction, Sovereign thrives where others fail.

Consistent Comfort

Experience powerful airflow in covered outdoor, large living areas and commercial spaces.

Designed for Impact

A bold, architectural presence that elevates modern interiors and expansive spaces alike.

Light Kits
sold separately

Light Kit	Colour	LED Output	Dimmable	Tri Colour
SOVLKWH	White	24W 1,800lm	Yes	Yes
SOVLKBL	Black	24W 1,800lm	Yes	Yes

Downrods
sold separately

Rod Length	White	Black
170mm	SOVEXTR17WH	SOVEXTR17BL
900mm	SOVEXTR90WH	SOVEXTR90BL

3 Speed Wall Control
sold separately
(SDC3SPWC)

• Flexible Installation Options

Two additional downrods are available separately (170mm and 900mm) to suit a wide range of ceiling heights and applications.

* See warranty card at ventair.com.au/sovd-c-warranty for more details.



SPYDA^{DC}

The Spyda DC is a fantastic addition to the Spyda ceiling fan collection, built on over a decade of innovation and enhancements.

Fans powered by a DC motor are less likely to be disrupted by fluctuations in power supply than with AC current.

Enjoy three speeds with the included wall control, or purchase the optional Vario SDCRC remote to expand from 3 to 6 speeds and get more from the precision DC motor.

With Light Models





ENERGY SAVING DC



Wall Control included

For those keen to switch from AC to DC, we're making retrofit easier by constructing the Spyda DC wall control to the same dimensions as previous models.

Remote Control available sold separately

Vario Model: SDCRC



Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	Blade Material	LED	Output	Dimmable	Tri Colour
SPYDC903WH/BL	White/Black	900	5 - 17W	5,700	3	PC*	N/A	N/A	N/A	N/A
SPYDC903WH-L/BL-L	White/Black	900	5 - 17W	5,700	3	PC*	20W	1990 lm	Yes	Yes
SPYDC1253WH/BL	White/Black	1250	6 - 25W	12,600	3	PC*	N/A	N/A	N/A	N/A
SPYDC1253WH-L/BL-L	White/Black	1250	6 - 25W	12,600	3	PC*	20W	1990 lm	Yes	Yes
SPYDC1423WH/BL	White/Black	1400	6 - 35W	13,320	3	PC*	N/A	N/A	N/A	N/A
SPYDC1423WH-L/BL-L	White/Black	1400	6 - 35W	13,320	3	PC*	20W	1990 lm	Yes	Yes
SPYDC1573WH/BL	White/Black	1570	6 - 45W	15,300	3	PC*	N/A	N/A	N/A	N/A

*Polycarbonate blades.

Extension Rods

Powder coated steel extensions rods with wiring loom available for high ceilings.

Rod Length	White	Black
600mm	SDCEXTR60WH	SDCEXTR60BL
900mm	SDCEXTR90WH	SDCEXTR90BL



900MM

1250MM

1400MM

1570MM

SPYDA^{AC}

Built with UV protection and corrosion resistant components, Spyda AC fans integrate well with the AC power supply of most residential properties.



SPYDA **3** BLADE

6 YEAR WARRANTY

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	LED	Output	4 Step Dimmable Tri Colour	Compatible Remote
SPY903NWH/BL	White/Black	900	16 - 60W	5,700	3	N/A	N/A	N/A	SSRFR36
SPY903WH-L	White	900	16 - 60W	5,700	3	20W	2050 lm	Yes	SSRFR36
SPY1253NWH/TI/BL	White/Titanium/Black	1250	14 - 55W	12,600	3	N/A	N/A	N/A	SPYRFR5056
SPY1253WH-L/BL-L	White/Black	1250	14 - 55W	12,600	3	20W	2050 lm	Yes	SPYRFR5056
SPY1253NTK	Teak	1250	14 - 55W	12,600	3	N/A	N/A	N/A	SPYRFR5056
SPY1253TK-L	Teak	1250	14 - 55W	12,600	3	20W	2050 lm	Yes	SPYRFR5056
SPY1423NWH/TI/BL	White/Titanium/Black	1400	13 - 68W	13,320	3	N/A	N/A	N/A	SPYRFR5056
SPY1423WH-L/TI-L/BL-L	White/Titanium/Black	1400	13 - 68W	13,320	3	20W	2050 lm	Yes	SPYRFR5056
SPY1423NBAM/TK	Bamboo/Teak	1400	13 - 68W	13,320	3	N/A	N/A	N/A	SPYRFR5056
SPY1423TK-L/WN-L	Teak/Walnut	1400	13 - 68W	13,320	3	20W	2050 lm	Yes	SPYRFR5056
SPY1573NWH/BL	White/Black	1570	27 - 100W	15,300	3	N/A	N/A	N/A	SPYRFR62
SPY1573TI-L	Titanium	1570	27 - 100W	15,300	3	20W	2050 lm	Yes	SPYRFR62
SPY1573NBAM	Bamboo	1570	27 - 100W	15,300	3	N/A	N/A	N/A	SPYRFR62
SPY1573BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1570	27 - 100W	15,300	3	20W	2050 lm	Yes	SPYRFR62

All models on this page come with polycarbonate blades.

SPYDA AC RANGE

A budget friendly option for both indoor and outdoor covered spaces, commercial and home alike.

Style your way with the minimalist Spyda 3 blade design for a more modern look, or indulge in the symmetrical 4 blade for a quiet and balanced rotation.

Available LED models have 4 steps of dimmable, tri-colour lighting.



With Light Models



1250MM

1400MM

SPYDA ⁴ BLADE

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	LED	Output	4-Step Dimmable Tri Colour	Compatible Remote
SPY1254TI/BL	Titanium/Black	1250	14 - 55W	12,780	4	N/A	N/A	N/A	SPYRFR5056
SPY1254WH-L/TI-L/BL-L	White/Titanium/Black	1250	14 - 55W	12,780	4	20W	2050 lm	Yes	SPYRFR5056
SPY1254TK	Teak	1250	14 - 55W	12,780	4	N/A	N/A	N/A	SPYRFR5056
SPY1254TK-L	Teak	1250	14 - 55W	12,780	4	20W	2050 lm	Yes	SPYRFR5056
SPY1424BL	Black	1400	13 - 68W	13,980	4	N/A	N/A	N/A	SPYRFR5056
SPY1424WH-L/TI-L/BL-L	White/Titanium/Black	1400	13 - 68W	13,980	4	20W	2050 lm	Yes	SPYRFR5056
SPY1424TK/WN	Teak/Walnut	1400	13 - 68W	13,980	4	N/A	N/A	N/A	SPYRFR5056
SPY1424TK-L/WN-L	Teak/Walnut	1400	13 - 68W	13,980	4	20W	2050 lm	Yes	SPYRFR5056

All models on this page come with polycarbonate blades.

FOR ACCESSORIES REFER TO PAGES 20-21



SPINIKA II

The Spinika II is a reliable four blade fan perfect for entertaining and bedrooms. Four glass fibre composite blades beautifully balance each Spinika II, circulating air swiftly and quietly throughout your home.



With Light Models



6 YEAR WARRANTY

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	LED	Output	4-Step Dimmable Tri Colour	Compatible Remote
SPIN1204WH/BL/TI	White/Black/Titanium	1220	20 - 60W	12,480	4	N/A	N/A	N/A	SPNRFRR
SPIN1204WH-L/BL-L/TI-L	White/Black/Titanium	1220	20 - 60W	12,480	4	20W	2050 lm	Yes	SPNRFRR
SPIN1304WH/BL/TI	White/Black/Titanium	1300	20 - 65W	15,000	4	N/A	N/A	N/A	SPNRFRR
SPIN1304WH-L/BL-L/TI-L	White/Black/Titanium	1300	20 - 65W	15,000	4	20W	2050 lm	Yes	SPNRFRR

Spinika II have Glass Fibre Composite blades.

FOR ACCESSORIES REFER TO PAGES 20-21

STANZA

Known for high airflow and quiet operation, the Stanza AC range is proudly balanced and quality checked for trouble free operation.

Cater to your needs with three varieties of Stanza: without light, with integrated natural white LED 20W light or with two B22 lamp holders.*

4 YEAR WARRANTY



With Light Models



Natural white, step dimmable high quality 20 watt LED Light



2 x B22 lamp holders*#



Without Light

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	Blade Material	B22 Light	Compatible Remote
STA903WH	White	900	11 – 45W	7,200	3	GFC*	N/A	SSRFR36
STA1203WH/BL	White/Black	1220	17 – 55W	11,700	3	GFC*	N/A	STARFR48
STA1403WH	White	1400	17 – 68W	13,210	3	GFC*	N/A	STARFR48

With LED Light

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	Blade Material	LED Output	4-Step Dimmable	Compatible Remote
STA1203WHLED	White	1220	17 – 55W	11,700	3	GFC*	20W 1600 lm	Yes	STARFR48
STA1203BLLED	Black	1220	17 – 55W	11,700	3	GFC*	20W 1600 lm	Yes	STARFR48
STA1403WHLED	White	1400	17 – 68W	13,210	3	GFC*	20W 1600 lm	Yes	STARFR48

With B22 Lamp

Model	Colour	Sweep Size mm	Motor Watt L-H	Airflow m ³ /h (max.)	Blade Count	Blade Material	B22 Light	Compatible Remote
STA903WH-L	White	900	11 – 45W	7,200	3	GFC*	Yes	SSRFR36
STA1203WH-L/BL-L	White/Black	1220	17 – 55W	11,700	3	GFC*	Yes 2x7W#	STARFR48
STA1203WH-LR	White	1220	17 – 55W	11,700	3	GFC*	Yes 2x7W#	Remote Inc. ^
STA1403WH-L	White	1400	17 – 68W	13,210	3	GFC*	Yes 2x7W#	STARFR48
STA1403BL-L	Black	1400	17 – 68W	13,210	3	GFC*	Yes 2x7W#	STARFR48

*Glass Fibre Composite blades. ^Remote does not have a dimming function.

#Globes not included.

ACCESSORIES

AC FANS



Remote Controls

SPYDA^{AC}

Model	Description	Works with
SPYRFR5056	Three speed radio frequency remote control kit. Quick connect wiring.	50" and 56" Spyda AC Ceiling Fans
SPYRFR62	Three speed radio frequency remote control kit. Quick connect wiring.	62" Spyda AC Ceiling Fans

SPYDA^{AC}

SPINIKA^{AC}

Model	Description	Works with
SSRFR36	Three speed radio frequency remote control kit. Quick connect wiring.	Suitable for 36" Spyda AC and Stanza AC 900mm Ceiling Fans
SPNRRF	Three speed radio frequency remote control kit. Quick connect wiring.	Suitable for Spinika AC Ceiling Fans

STANZA^{AC}

Model	Description	Works with
STARFR48	Three speed radio frequency remote control kit. Quick connect wiring.	Suitable for Stanza AC 1200mm and 1400mm Ceiling Fans

Model	Description	Model	Description
UCFR	Universal 3 speed Remote Control to suit New Generation and Traditional Ceiling Fans	VRFR	3 speed Radio Frequency Remote Control kit suits most Ventair Traditional Fans

Enhance your fans with a variety of control options and add-ons from Ventair



Extension Rods

with quick connect wiring loom included

SPYDA^{AC}

SPINIKA^{AC}

STANZA^{AC}



Rod Length	White	Black	Titanium
Spyda AC			
450mm	SPYEXTR45WH	SPYEXTR45BL	SPYEXTR45TI
600mm	SPYEXTR60WH	SPYEXTR60BL	SPYEXTR60TI
900mm	SPYEXTR90WH	SPYEXTR90BL	SPYEXTR90TI
1200mm	SPYEXTR120WH	N/A	N/A
Spinika AC			
600mm	SPNEXTR60WH	SPNEXTR60BL	N/A
900mm	SPNEXTR90WH	SPNEXTR90BL	SPNEXTR90TI
1500mm	SPNEXTR150WH	N/A	N/A
Stanza AC			
900mm	STAEXTR90WHLED	STAEXTR90BLLED	N/A

Joiner Kits

for Extension Rods

SPYDA^{AC}

SPINIKA^{AC}



Model	Description
SPJKWH	Extension Rod Joiner Kit - Satin White
SPJKBL	Extension Rod Joiner Kit - Matte Black
SPJKTI	Extension Rod Joiner Kit - Titanium

J-Hook

SPYDA^{AC}

SPINIKA^{AC}



Model	Description
SPYJHWH	J-Hook hanging pack - Satin White
SPYJHTI	J-Hook hanging pack - Titanium
SPYJHBL	J-Hook hanging pack - Matte Black



CEILING MOUNT

The Tilt360 drum fan range is ideal for high traffic residential and commercial spaces.

These versatile fans are constructed with copper AC motors and aluminium blades. Get precision high airflow with a 3-speed control dial and tiltable fan drum.

The Tilt360 Ceiling features a 360° swivel housing with a sturdy all metal frame. The handy ceiling mount allows positioning the fan in a number of elevated areas.



- 150mm and 300mm downrods included
- 2m AC Plug and Lead with Easy Storage
- Full metal construction
- High air circulation
- 3 Speed dial



Model	Control	Colour	Fan Size	Full Width	Motor Wattage (max)	Air Delivery (max)	IP Rating
TILT360-CM	Speed Dial	Black	430mm	625mm	110W	7,645m³/h	IP54





WALL MOUNT



Tilt360 Wall fans are fitted with a heavy duty die-cast aluminium bracket, that makes mounting a breeze.

The adjustable pivot arm provides easy horizontal rotation, directing airflow with a simple turn of the drum. Suitable for installation on timber or masonry, the Tilt360 tucks away neatly when not in use.

- Adjustable pivot arm included
- 2m AC Plug and Lead with Easy Storage
- Full metal construction
- High air circulation
- 3 Speed dial



Model	Control	Colour	Fan Size	Full Width	Motor Wattage (max)	Air Delivery (max)	IP Rating
TILT360-WM	Speed Dial	Black	430mm	625mm	110W	7,645m ³ /h	IP54

ZEPHYR II


WALL MOUNTED 400MM COOLING FAN



- Wall mounted, 3-speed control cooling fan
- Oscillating and tilt adjustable head, helps keep the whole room cool
- AC Plug and lead makes installing easy
- 0.5 - 7.5 hour Timer (remote model only)
- Wind / Breeze / Sleep mode (remote model only)



Model	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed L-H (RPM)	Ball Bearing
ZEP40PC	Pull Cord	White	400mm	450mm	65W	950 - 1300	Sleeve Bearing
ZEP40R	Remote Control	White	400mm	450mm	65W	950 - 1300	Sleeve Bearing






WALL DC

HEAVY DUTY DC

WALL FAN

450 & 750mm

- Energy efficient brushless DC motor technology
- Uses up to 70% less power than traditional AC equivalents
- Unique three or six blade design for powerful air delivery and lower noise levels
- Tilt adjustable head with oscillating swing feature
- Six speed remote control with timer option
- Able to pair multiple fans to one remote control



Model	Remote Control Inc.	Colour	Fan Size	Grille Size	Motor Wattage	Speed L-H (RPM)	Airflow m ³ /h (max.)	Ball Bearing
WAL45-DC	Yes	Black	450mm	510mm	90W	500 - 1400	10,800	Yes
WAL75-DC	Yes	Black	750mm	815mm	130W	600 - 1035	18,876	Yes

Explore Our Heating and Ventilation Range.

NEW
RELEASE



Solstice

2000W INFRARED OUTDOOR HEATER

- High efficiency radiant heat for instant warming effect
- Premium ceramic infinity glass panel for maximum heat transfer and safety
- Wall or ceiling mount compatible
- Three heat settings and timer on included remote



Sahara

4-IN-1 BATHROOM UNIT

- Fan forced heat creates a comfortable and warm environment while helping to prevent condensation
- High air extraction for efficient steam removal
- Premium Tri-colour LED light panel with high lumen output
- Cooling function that is ideal for warmer climates



Heatforce DC

PREMIUM 3-IN-1 BATHROOM UNIT

- 2 or 4 Heat lamp options for instant radiant heat
- Normal and Boost models available
- DC energy efficient motor
- Tri-colour LED
- Selectable 24/7 continuous trickle ventilation, 10 minute run on timer or standard on/off operation



Visit ventair.com.au for the full range of products.



AIRBUS

PREMIUM EXHAUST FAN

- Plug and lead for easy installation
- Available in AC and DC
- Side ducted exhaust with backdraft stopper
- Fascia options available;
Standard / LED Round / Square White / Black



Mixflow

MIXFLOW INLINE EXHAUST FAN

- Commercial grade performance
- Perfect for hot or cold air transfer
- 2 speed high/low external switch
- High static pressure makes it ideal for longer duct runs

NEW
RELEASE

Edge DC

PREMIUM WALL EXHAUST FAN

- Energy efficient DC motor for quiet operation
- Selectable 24/7 continuous trickle ventilation, 10 minute run on timer or standard on/off operation
- Purpose built for small rooms where clean, fresh air matters most





SUMMER COOLING CAT 11/25



4 Capital Place
Carrum Downs, VIC, 3201
T: 1800 665 926 | E: info@ventair.com.au
ventair.com.au   

*Please note:
All technical specifications are correct at time
of print. Product appearance may slightly vary.*